

**NATIONAL ACCREDITATION BOARD FOR EDUCATION & TRAINING  
QUALITY COUNCIL OF INDIA**

6<sup>th</sup> Floor, ITPI Building, Ring Road, I.P. Estate, New Delhi  
Scheme for Accreditation of EIA Consultant Organizations  
**Accreditation Committee Meeting for Initial Accreditation held  
Through Video Conferencing on  
May 25, 2021**

The following members were present during the meeting:

- |                        |            |
|------------------------|------------|
| 1. Mr. A. K. Ghose     | - Chairman |
| 2. Dr. G. K. Pandey    | - Member   |
| 3. Dr. P. Ahujarai     | - Member   |
| 4. Prof. Rajesh Khanna | - Member   |
| 5. Dr. J. S. Sharma    | - Member   |
| 6. Prof. D. K. Sharma  | - Member   |
| 7. Dr. Ranjini Warriar | - Member   |
| 8. Dr. Manoranjan Hota | - Member   |

Mr. A.K. Jha – Senior Director, Dr. S. K. Mishra – Joint Director, Dr. Pawan Kumar Singh – Assistant Director and Mr. Vipin Pant– Accreditation Officer from NABET-QCI were present in the meeting.

Following case was discussed and decisions taken thereof are:

## **1.0 Case of Initial Accreditation**

### **1.1 Earthvision India Associate Consultants, Lucknow**

Earthvision India Associate Consultants, Lucknow has been assessed as per Version 3 of the Scheme. Result of Initial Accreditation (IA) assessment is given below-

The case couldn't be taken up further for want of further details from the organization.

It will be taken up in the next meeting after receipt of the same.

Note: **The followings will be communicated to the ACO by NABET**

- **Detailed Observations (if any)**
- **Result of balance candidate/s (If any)**

The meeting ended with a vote of thanks to the Chair.

**Issued by**

**(A K Jha)  
Senior Director  
QCI-NABET**

**Abbreviations:**

---

ACO	-	Accredited Consultant Organization
AC	-	Accreditation Committee
IA	-	Initial Accreditation
SA	-	Surveillance Assessment
RA	-	Re-Accreditation
EC	-	EIA Coordinator
FA	-	Functional Area
FAE	-	Functional Area Expert
FAA	-	Functional Area Associate
CA	-	Continue by Assessment
CWA	-	Continue with alert